

GVXO-753D

3.3V VCXO

- Low cost for volume applications
- Choice of pullability & stability




CONFIGURABLE OPTIONS	
Parameter	Option Code
Frequency	
Frequency pullability	
Any	
±50ppm min	N
±100ppm min	S
±120ppm min	V
Frequency stability	
Any	
±50ppm max	В
±25ppm max	С
Operating temperature range	
Any	
-20 to +70°C	
-40 to +85°C	



SPECIFICATIONS

Frequency range	1.50 ~ 54.0MHz
Dimensions	7.0 x 5.0 x 1.8mm
Package	4 pads, 5.08mm pitch
Voltage control	+1.65V ±1.50V, 10% linearity
Storage temperature	-40 to +85°C
range	
Supply voltage (V _{DD})	+3.3V (±10%)
Supply current	10mA max (1.5 ~ 20.0MHz)
	15mA max (>20.0 ~ 30.0MHz)
	20mA max (>30.0 ~ 40.0MHz)
	25mA max (>40.0MHz)
Driving ability	15pF CMOS
Logic levels	'0' level = 10%V _{DD} max
	'1' level = 90%V _{DD} min
Waveform symmetry	45:55 max
Rise / fall time	10ns max (1.5 ~ 10.0MHz)
(10%~90%V _{DD})	6ns max (>10.0MHz)
Phase noise	-130dBc/Hz typ @ 1kHz

PACKAGE DRAWING



Dimensions in mm

ORDERING INFORMATION

To request a quotation for the GVXO-753D please use the configurable options form to choose the options you require and then submit your configured product to our team. Our expert advisers are always happy to help with your requirements and can be contacted on +44 1460 256 100 or at sales@golledge.com.

Following product selection you will be issued with a seven character Golledge part number. Your Golledge part number is the internationally accepted Golledge manufacturing part number (MPN) that should be used for all project documentation, including bills of materials (BoMs) and purchase orders.

If you have any queries regarding any of our documentation our dedicated sales team will be happy to help.

ENABLE / DISABLE FUNCTION

Input (pad 2)	Output (pad 4)
Open	Enabled
'1' level	Enabled
'0' level	High Impedance






MARKING

GOLLEDGE FREQUENCY • PARTNO DC Pin 1 Marking type: Laser


DC = Date Code in YM, eg. "GF" = Jun 2017


	Α	В	С	D	Е	F	G	Н	J	K	L	М
Υ	1	2	3	4	5	6	7	8	9	0		
M	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec

SOLDERING PROFILE



TAPE & REEL SPECIFICATION





Dimensions in mm

HANDLING & STORAGE



Human Body Model (HBM) 1A (250V to < 500V)



Moisture Sensitivity Level (MSL): 1



CONSTRUCTION

Ceramic body with gold-plated pads Metal lid, seam sealed

MATERIAL COMPOSITION



Lead-free (< 0.1% by weight)



Product is RoHS 2 compliant



Nominal Net Mass: 142mg

COMPOSITION

MCDFamily GVXO-753.pdf





OTHER INFORMATION

About Golledge

We are the UK's leading supplier of frequency control products and are proud to serve the global electronics industry. Our philosophy is a focus firmly on your requirements by striving to meet and exceed your needs. We do this by ensuring the utmost quality and consistency in our products and services. If you have any queries about the Golledge service or any of our products please get in touch, we'd love to hear from you.

Come and visit

Give us a call

Email us

Eaglewood Park, ILMINSTER, Somerset,TA19 9DQ, England Tel: +44 1460 256 100 Fax: +44 1460 256 101 sales@golledge.com

Our Worldwide Distributors

Belgium & Luxembourg

Alcom Electronics NV/SA



Email Web Tel info@alcom.be www.alcom.be +32 (0)3 458.30.33

China, Hong Kong - 中国 / 香港

Meiya China



Email Web Tel sales@meiyatech.com www.meiyatech.com +86 755 2823 1923

France

Equipments Scientifique



Email Web Tel comp@es-france.com www.es-france.com +33 1 47 95 99 89

Germany

MEV Elektronik Service GmbH



Emai Web Tel info@mev-elektronik.com www.mev-elektronik.com +49 54 24 23 40-0

India

V5 Semiconductors



Email Web Tel sales@v5semiconductors.com v5semiconductors.com +91-80-2661 0621

Israel

Phoenix Technologies Ltd



Email Web Tel sales@phnx.co.il www.phnx.co.il +972 9 764 4800

Netherlands

Alcom Electronics BV



Email Web Tel info@alcom.nl alcom.nl +31 (0)10 288.25.00

Norway

Link Nordic



bjorn.nyjordet@linknordic.com linknordic.com +47 93 22 68 90

Russia - Россия

EFO Ltd



Email Web Tel

elena@efo.ru www.golledge.ru +7(812)327-8654

Spain & Portugal

R.C. Microelectronica, S.A.



Email Web Tel ventas@rcmicro.es www.rcmicro.es +34 93 260 21 66

Our customer feedback is testament to our quality; "Never had such good service as this from anyone in 35 years of being in the industry, this is impressive and has really helped us out of a corner to keep the design flowing" Andy (Senior Design Engineer), "As always your support is state of the art" Nicoleta (Material Management), "Legendary work - as usual it has to be said" John (Operations).

To take advantage of our highly praised service get in touch with us today.

