

# HCD680

## OCXO Sine Output High Performance


- Temperature stability down to 1ppb
- Single 12V supply (12V ~ 30V optional)
- Standard US footprint & pin-out
- Custom options available




### CONFIGURABLE OPTIONS

| Parameter | Option Code |
|-----------|-------------|
|-----------|-------------|

## PACKAGE DRAWING



| PIN | CONNECTION      |
|-----|-----------------|
| 1   | Freq adjustment |
| 2   | Ref voltage out |
| 3   | RF output       |
| 4   | Ground          |
| 5   | Supply          |



## ORDERING INFORMATION

To request a quotation for the HCD680 please use the configurable options form to choose the options you require and then submit your configured product to our team. Our expert advisers are always happy to help with your requirements and can be contacted on +44 1460 256 100 or at [sales@golledge.com](mailto:sales@golledge.com).

Following product selection you will be issued with a seven character Golledge part number. Your Golledge part number is the internationally accepted Golledge manufacturing part number (MPN) that should be used for all project documentation, including bills of materials (BoMs) and purchase orders.

If you have any queries regarding any of our documentation our dedicated sales team will be happy to help.

## HANDLING & STORAGE



Human Body Model (HBM) 1A (250V to < 500V)



Moisture Sensitivity Level (MSL): 1

## CONSTRUCTION

Solder sealed metal can

## COMPLIANCE

---



Lead-free (< 0.1% by weight)



RoHS compliant with no exemptions.